## Message

From: Wilson, Jennifer [wilson.jenniferA@epa.gov]

**Sent**: 6/22/2018 9:05:41 PM

To: Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]; Konfirst, Matthew

[konfirst.matthew@epa.gov]

Subject: FW: Air Orders for Chemours Washington Works Facility

Hi Roger, Kevin, and Matt,

Sorry, I should have copied you on the message below. I will ask him to copy you on his reply.

Have a good weekend, Jenny

From: Wilson, Jennifer

Sent: Friday, June 22, 2018 4:04 PM

**To:** 'Yogesh.P.Patel@wv.gov' <Yogesh.P.Patel@wv.gov> **Subject:** Air Orders for Chemours Washington Works Facility

Hi Yogesh,

When you have a chance, may you please e-mail me the air Order that Chemours Washington Works Facility has with WV DNR that requires monitoring. If you have any other air orders for PFAS compounds from that Facility, I would be interested in those as well. Sorry, but I am getting some questions from management.

Thank you, Jenny

Jennifer Wilson, P.E.
Ground Water and Drinking Water Branch
U.S. EPA Region 5
WG-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov

Phone: (312)353-3115 Fax: (312)697-2751